


# Certificate of Analysis

HCG 10,000 IU

Report To:  
**LabSourced**

Compound: HCG  
Quantity: 10,000 IU  
Laboratory ID: V260211-4 015  
Lot Number: LS-HCG10IU2.0.2026  
Date Reported: 2/18/2026



Chromatogram for Vial "A" shown above.

| Analysis                 | Method      | Result (per Vial) |
|--------------------------|-------------|-------------------|
| Chromatographic Identity | HPLC-UV/VIS | Matches Standard  |
| Quantity (3 vials)       | HPLC-UV/VIS | ~9,500-10,500 IU  |

Note: Chorionic gonadotropin contains a number of glycosylated isoforms, which results in the clustering of peaks. Protein content based on area count of primary isoforms in comparison to certified reference standard. Per USP-NF a bioassay is required to accurately determine IU, HPLC-UV-Vis can be used to estimate HCG protein content.




Report By: Dustin Newman, Laboratory Director on 2/18/2026



Approved By: Tori Johnson, Operations Manager on 2/18/2026



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.



Vanguard Laboratory  
2635 Parkmont Ln  
Olympia, Wa 98502  
360-967-7010

# Certificate of Analysis

HCG 10,000 IU

Report To:  
**LabSourced**

Compound: HCG  
Quantity: 10,000 IU  
Laboratory ID: V260211-4 015  
Lot Number: LS-HCG10IU2.0.2026  
Date Reported: 2/18/2026

| Analyte      | Method | LOQ (ppm) | Result (ppm) |
|--------------|--------|-----------|--------------|
| Arsenic (As) | ICP-MS | 0.01      | ND           |
| Cadmium (Cd) | ICP-MS | 0.01      | ND           |
| Lead (Pb)    | ICP-MS | 0.01      | ND           |
| Mercury (Hg) | ICP-MS | 0.005     | ND           |

Run ID: 260217

| Analysis   | Method   | Result                    |
|------------|----------|---------------------------|
| Endotoxins | LAL      | Pass - 119 EU/mg*         |
| BioBurden  | USP <61> | Pass - No Growth Detected |

\*Pass/Fail criteria based on the USP/FDA threshold of 5 EU/kg (350 EU total for a 70 kg adult)

Report By: Dustin Newman, Laboratory Director on 2/18/2026

Approved By: Tori Johnson, Operations Manager on 2/18/2026

ND: Non-Detect

LOD: Limit of Quantification



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.